Unit:						Month:
Stock	(#:					
W//Z 1	W/K O	WK 2	WK 4	WK E	MIN	INVENTORY OF INTERIOR COMPARTMENTS COMPARTMENT A
WKI	WKZ	WK 3	WK 4	WKS	2	Head immobilization device*
					2	Spider type backboard straps*
					2	Adjustable extrication collars - adult*
					2	Adjustable extrication collars - pediatric*
					4	Sheets*
					2	Blankets*
					2	Towels* COMPARTMENT B
					2	Trauma dressings (minimum of 10"x12")*
					4	Sterile dressings (min. 5"x 9")*
					1 box	4" x 4's (24 min.)*
					6	Kling - 3"* Kling - 6"*
					6	Kling - 6"*
						Cravats (triangular bandages)* Tape - 2"*
						Cold packs*
					2	Heat packs
						Band-aids
					1	Needle decompression thoracostomy kit*
					1	Commercial tourniquet*
						COMPARTMENT C
					2	OB kits (commercially packaged)* Silver swaddler or baby bunting type material
					2	Mylar silver emergency blanket for burns*
					1 ea	Particulate respirator N-95 mask fitted for each crew member*
					4	Surgical masks*
					1 ea	BP cuffs (adult regular, adult large, child, infant)*
					1	Stethoscope (must be pediatric capable)*
					4	Eye protection*
					<u>4</u> 5	Gowns (impenetrable to blood and/or body fluids)* Red hazardous waste bags - sealable with biohazard label*
					2	Chux pads
					_	COMPARTMENT D
						IV safety catheters (14ga, 16ga, 18ga, 20ga, 22ga, 24ga)*
					5	IV set-up kits or comparable*
					1	Prep razor*
					2	Vacutainer holder* Luer adapters*
						Blood tubes (varies by hospital)*
					2	Constricting bands - latex free
					1	Huber type non-coring needle - 20ga.*
						Safety needles - 18ga and 21ga *
					2	Blunt needles - 18ga or 19ga *
					1 ea	Twin Cath 18/20ga and 20/22ga
					1	Syringe - luer lock type - 60cc Syringe - luer lock type - 20cc
					2	Syringe - luer lock type - 20cc*
					2	Syringe - luer lock type - 5cc*
					2	Syringe - luer lock type - 3cc*
					2	Syringe - luer lock type - 1cc*
					1	Safety Glide needles - 25ga
					2	Saline-lock extension set* Pre-filled saline syringe - 10cc*
	-	1			2	Biohazard sample bags
		<u> </u>			1	Lactated Ringers solution 1000cc*
	1				1	IV arm board - pediatric*
					1	IV arm board - adult*
					1	Disposable pressure infuser
	<u> </u>	-			1	Nasal atomization device w/ 3cc syringe*
	-	1			2	IV administration set (micro - 60gtts/mL)*
	1	-				IV administration set (macro - 10-15gtts/mL)*

WK 1	WK 2	WK 3	WK 4	WK 5	MIN	COMPARTMENT E
					2	Non-rebreather mask - adult*
					2	Non-rebreather mask - pediatric*
					2	Nasal cannula - adult*
					2	Nasal cannula - pediatric*
					2	Rigid disposable suction containers
					1	Soft suction catheter (size between 6F and 10F)*
					1	Soft suction catheter (size between 12F and 16F)*
					2	Suction tubing
					1	Suction wand - rigid Yankauer type*
					2	Emesis basin or convenience bag*
					1	Bag valve resuscitator - adult with #5 cuffed face mask*
					1	Bag valve resuscitator - pediatric with #2 cuffed face mask*
					1	Bag-valve resusitator - infant with #0 cuffed face mask*
					1 set	Transparent face mask - pediatric (neonate through small adult; 1 set=4 sizes)*
					1	Nebulizer aerosol mask - adult*
					1	Nebulizer aerosol mask - pediatric*
					1	In-line nebulizer set-up*
					1	Small Airway Bag Blue Module (for Unit):
					1 set	Miller blades 0, 1, 2, 3, 4*
	1			<u> </u>	1 set	Mac blades 1, 2, 3, 4*
					1	Laryngoscope handle - large w/spare batteries*
	1			<u> </u>	1	Laryngoscope handle - small w/spare batteries*
	1			<u> </u>	1 roll	Tabe - 1"*
				<u> </u>		Syringe - 10cc*
					1	Meconium aspirator*
					1	Magill forceps (large)*
					1	Magill forceps (small)*
					1 62	ET tubes - cuffed (6, 6.5, 7, 7.5, 8, 9)*
					1 60	ET tubes - uncuffed (2.5 - 5.5)*
					1 ea	Endotracheal tube stylet - infant, child, adult*
					1	Endotracheal tube introducer (Bougie)*
					1 ea	Endotrol tracheal tube (6, 7, 8)*
					3	BAAM*
						Endotracheal tube holder - adult*
						Endotracheal tube holder - pediatric*
					1 00	AIRWAY STATION
					1	Oxygen flow meter*
					1	On-board suction unit*
					1	Suction tubing & Yankauer wand*
				1	1	Trauma scissors*
					1 set	Oral airways assorted sizes (1 set is 6 sizes)*
						Nasal airways (1 set is 5 or 6 sizes depending on type)*
				1	6	Surgical lubricants (1 tube or 6 packs, water soluble)*
	İ		İ	1	1	Penlight (or narrow-beam flashlight)*
	İ		İ	1	1	Eye protection*
					1 box	Facial tissue*
	İ		İ	1	1	Bite stick (tongue depressor)
	İ		İ	1	1	Hand cleaner*
				1	1	Thermometer*
						COMPARTMENT G
						Cleaning supplies
					1	Disinfectant - defined by OSHA effective against (but not limited to) HBV, HIV, TB*
					,	COMPARTMENT H
					10	Cabinet seals & 1 felt tip marker
				†	2	Weekly check-out sheets
				<u> </u>	10	MIEMSS Short Forms (minimum)
				<u> </u>	1	Maryland Medical Protocols (print or electronic but not pocket protocol book)*
				 	1	Rehab clip board
	1			 	10	Rehab vital forms
				 	5	Rehab control forms
				 	2	Grease pencils
				 		Reflective traffic safety vests (ANSI 207-2006 Class II)*
	1	l	l	L	ı ta	productive traine safety vests (Anor 201-2000 Class II)

WK 1	WK 2	WK 3	<u>WK 4</u>	<u>WK</u> 5	MIN	COMPARTMENT I
						Sterile water or normal saline - (4) 500 cc or (2) 1000 cc container*
					2	LP15 Adult pads - remote disposable - Physio Brand Only*
					1	LP15 Pediatric pads -pink connector on front - Physio Brand Only*
					1	Ring cutter*
					1 roll	Hypoallergenic tape*
						COMPARTMENT J (Under CPR Seat)
					2	Body bags
					2	Soft restraints or (4) cravats*
						COMPARTMENT K
						Blue Airway Bag
						Front pocket:
					1	Melker cricothyrotomy catheter set*
					1	Endotracheal tube introducer (Bougie)*
					1	#10 protected disposable scalpel*
					1	King Vision monitor with extra batteries*
					1	King Vision blade - channeled 18mm*
					1 ea	King LTSD Airway - size 3, 4, 5*
						Middle Pocket:
					1	Portable suction unit - battery powered capable of operating for 20 min.*
		1	ļ		1	Charging cord
					1	Tubing with Yankauer type wand*
					1	Suction catheter (one size between 6 & 12)*
					1	Suction catheter (one size between 12 & 16)*
					1	Sterile water (500 mL)*
					3	Gastric tubes - 8F and various sizes 10F-16F*
					1	Tapered tip lavage syringe (30cc minimum)*
					11	In-line nebulizer set-up kit*
						Rear Pocket:
					1	Blue Airway Pouch
					1 set	Miller blades 0, 1, 2, 3, 4* Mac blades 1, 2, 3, 4*
					1 Set	Laryngoscope handle - adult w/batteries*
					1	Laryngoscope handle - pediatric w/batteries*
					2	Syringe - 10cc*
					1	Meconium aspirator*
						Cuffed ET tubes (6, 6.5, 7, 7.5, 8)*
					1 ea	Uncuffed ET tubes (2.5 - 5.5)*
						Endotracheal tube holder - adult*
					1 ea	Endotracheal tube holder - pediatric*
					1	Endotracheal tube introducer (bougie)*
		1	1		1	Stylet - adult*
					1	Stylet - pediatric*
					1 ea	Endotrol tracheal tube (6, 7, 8)*
						BAAM*
					1	Lidocaine / Xylocaine 4% topical (8ml)*
					1	Tape - 1"*
					1	Magill forceps - large*
			1		1	Magill forceps - small*
					6pk	Surgical lubricants (1 tube or 6 packs, water soluble)*
						COMPARTMENT L- ALS Drug Drawer
		ļ	ļ			Atropine multi-dose vial - 8mg*
		ļ	ļ		1	Dextrose 25%
	-				1	Dextrose 50% - 25 g
	-					Epinephrine 1:10,000 - (6 mg total)
		-	-			Epinephrine 1:1000 - (3 mg total)
		-	-			Naloxone (Narcan) (4mg total)
		1	1			Nitroglycerin, 1 bottle*
		1	1		4	Sodium Bicarbonate (100mEq total)*
	1				l	Precision-H Glucometer with lancets, test strips, alcohol wipes, and band-aids

WK 1	WK 2	WK 3	WK 4	WK 5	MIN	COMPARTMENT M
					1	Life Pak 15:*
					1	EKG modem*
					1	12 lead cables*
					1	Limb lead cable*
					30	Electrodes (adult and pediatric)*
					2	LP15 Adult pads - remote disposable - Physio Brand Only*
					2	LP15 Pediatric pads -pink connector on front - Physio Brand Only*
					1	EtCo2 cannula - adult*
					1	EtCo2 cannula - pediatric*
					1	EtCO2 Filter line*
					1	Razor (battery preferred with heads)*
					1	Roll spare EKG paper*
						Spare LP15 battery*
					1	ePCR cable
					2	Benzoin swabs
						B/P cuffs - infant, child, small adult, adult, large adult
					2	Duo Dote Kits; each sealed kit contains the following:
					20	DuoDotes*
					4	Oxygen Duffle Bag: Portable oxygen bottle (at least 300 psi)*
	-	-		-	1	
				-	1	Nasal cannula - adult* Nasal cannula - pediatric*
		 	 	 	1	Non-rebreather mask - adult*
					1	Non-rebreather mask - adult*
					1 cot	Nasal airways (variety of sizes 20-36) (1 set is 6 sizes)*
					1 set	Oral airways (0,1,2,3,4,5) (1 set is 6 sizes)*
						Water-soluble lubricant*
					1	Bite stick (tongue depressor)
					1	Pulse oximeter (adult and pediatric sensor - disposable is acceptable)*
					1	Bag-valve - adult with #5 cuffed face mask *
					1	Bag-valve - pediatric with #2 cuffed face mask *
					1	Bag-valve - infant with #0 cuffed face mask *
					1	Stethoscope (must be pediatric capable)*
					1	BP cuff - adult
						UNDER BENCH SEAT
					2	Optimum Traction Device (OTD)*
					2 ea	Padded board splints 15" & 36"*
						Needle box*
					1	Trash can (covered and secured)*
						PATIENT CARE AREA
					1	Cot with mattress and adjustable head position*
					3	Safety straps with integrated harness attached per manufacturer standards*
					<u>1 ea</u> 1	Gloves - box of small, medium, large and extra-large* "No Smoking" sign in patient compartment*
					l l	CAB
					2	Portable radios
	 				1	Community Resource Guide
	1			†	1	Haz-Mat Guide - DOT Emergency Response Guide (Latest Edition)*
	1			<u> </u>	2	Hearing protectors
	1				1	Set of door and/or light controls (station specific)
					1	Set of Metro maps
				1	1	ADC Maps - Montgomery County and others as needed
				1	1	Vehicle registration
					1	MDT and back up county maps
					1	PAS ring with proper unit designation
					2	Reflective traffic safety vests - ANSI 207-2006, Class II*
					1	Gloves - sizes vary depending on the on duty OIC and driver (1 Each)
					1	Wheel chock
		_		_		LEFT FRONT CABINET (Outside)
					1	M bottle (to remain off when not in use with at least 300 psi)*
1		I	<u> </u>		1	Child safety seat (FMVSS-213 or NHTSA 2012 must be printed on manuf. label)*
					2	Spare oxygen cylinders (must be in approved crash resistant holders)*
					1	Reeves type stretcher
					2	54" board splints*

WK 1	WK 2	WK 3	WK 4	WK 5	MIN	LEFT MIDDLE LOWER (Radio Compartment)
AAIX I	WIX	WICS	WIX 4	WICS	2	Rechargeable handlights*
						Trash can and 4.7 qt. sharps container (secured)*
					1	Stair chair*
						LEFT-REAR COMPARTMENT
					2	45 minute SCBA
						RIGHT REAR BEHIND WHEEL
					- 1	
					- 0	Fire extinguisher - 5 lb. ABC Minimum (tagged with service date and mounted)*
	1				3	Hazardous reflector triangle or small cones (flares not acceptable)*
					1	Tool box:
	1				<u>1 ea</u>	Flat screwdrives - small, medium, large
					<u> 1 ea</u>	Phillips screwdriver - small, medium, large
	1					Pliers - 8" channel lock, adjustable
					1	Pliers -10" self-locking (vice grips)
						Wrench -12" open ended
						Side-nose cutting pliers
					1	Hammer, 3 lb., 15" handle (engineer style)
					1	Spring loaded punch
					1	Bolt cutter
						RIGHT-REAR COMPARTMENT_
					2	Triage kits: (fanny packs)*
					25 ea	Triage ribbons on ring (red, yellow, green, black)*
					25	Triage tags*
					2	Pens or pencils
					1 set	Nasophyaryngeal airways (18F-34F)*
					1 set	Oropharyngeal airways (newborn - large adult; 1 set is 6 sizes)*
					4	Cravats (triangular bandage)*
					2	8 X 10 pads
					1	Trauma scissors
					2	Grease pencils
					1	Penlight*
					2	Full backboards - plastic*
					1	Pediatric immobilization device
					1	Half backboard - plastic or KED*
					1	Orthopedic frame (Scoop stretcher)
						Extrication Bag:
	1				2	Tape - 2"
	1				2	Kling - 3"
	<u>† </u>				2	Kling - 6"
	<u>† </u>				4	4" x 4"s
	<u>† </u>				4	Cravats *
	1				2	Adjustable extrication collars - adult
	†				2	Adjustable extrication collars - addit Adjustable extrication collars - pediatric
	 				1	Head immobilization device - blocks or blanket roll
	1				1 set	Spider straps*
	 				2	Towels, sheets or padding
	 				1	Trauma scissors
	 				1	Eye protection
	1				1	
	1				ı	Center punch
	 				4	CPAP Bag:
	1					CPAP unit and all manufacturer specific supplies*
	1					Oxygen cylinder (Only if a large separate bag is carried for the CPAP)
 	ļ				2	Complete circuit w/ medium mask*
-	1				<u> 1 ea</u>	CPAP masks (large and small)*
ı					1	In-line nebulizer setup*

7.2016 JKB

WV 1	WK 2	WV 2	IMV A	IMV 5	MIN	RED ALS BAG
WKI	WKZ	WK3	WK 4	WK 5	IVIIIN	Outside:
					1	Portable environmental CO alarming device*
						Left Side Pocket:
					1	Sharps container*
					_	Front Pocket:
					1	Needle decompression thoracostomy kit*
					i	Commercially available tourniquet*
					4	Cravats*
					2	Kling - 3"*
					2	Kling - 6"*
					2	Multi-trauma dressing (minimum of 10"x 12")*
						4" x 4"s*
					2	Tape - 2" *
					1	Trauma scissors*
					1	Pen light (narrow beam flashlight acceptable)*
					6 pairs	
					2	Eye protection
					2	Atomizers (intranasal medication delivery device)
					2	Ausherman Seals
			_			Center Compartment:
					1	Stethoscope*
					1	Lactated Ringers 1000cc*
					1	IV administration drip set - macro (10-20gtt/mL)*
					1	IV administration drip set - micro (60gtt/mL)*
					1	Nebulizer*
					1	Pediatric tape (Broslow style) or pediatric wheel (must include current AHA pediatric guidelines)*
					1	Activated Charcoal -100g (may be in (2) 50mg containers)*
						Dextrose 50% - (50 g total)*
					1	Dextrose 25%
					2	Oral Glucose*
						Epinephrine 1:10,000 - (6 mg total)*
						Sodium BiCarb (50mEq)* (150mEq required on unit - additional 100mEq in drug drawer)
						Calcium Chloride - 1g*
					1	Dopamine - 400 mg*
						Atropine (1mg/10mL, 3 mg total)*
	ļ	<u> </u>				Lidocaine 2% 100mg (300mg total)*
	ļ	<u> </u>				Lidocaine 4% (8 mL total)*
		-			4	Naloxone (4 mg total)*
	-	 		 		ICD donut magnet (in small otter type box)*
	-	<u> </u>			1	Digital thermometer with disposable probes * Glucometer Precision H Test Meter and Test Strips (incl. lancets, test strips, alcohol wipes and band-aids)*
						Diltiazem Kit:
					4	Diltiazem - 50mg*
		-			1	Diluent - 100cc*
-	-	1			1	
						Syringe - 60cc* EZ IO Kit:
					1	EZ IO RIC: EZ IO drill*
		1			1 ea	EZ IO driii EZ IO needles (15mm, 25mm & 45mm)*
		 			2	Extension sets with 3-way stopcock*
-	-	 			1	Saline flush - 10cc*
-	-	 			3	Stabilizers*
	1	 			1	Jamshidi needle - 18ga*
-	1	-			2	Kling - 3"*
 	1	 			1	Tape - 1"*
		<u> </u>			1	Lidocaine 2% - 100mg*
	1	<u> </u>	l	l	1 1	Lidobalito 270 Tobility

WK 1	WK 2	WK 3	WK 4	WK 5	MIN	Medications Module:
					4	Acetaminophen (160mg/5mL single dose cups)*
						Adenosine (30mg total)*
						Albuterol (20mg total)*
						Amiodarone - 450mg total (with 100mL bag D5W)
						Aspirin (1 bottle of 325mg tabs)*
						Atropine, Multi-dose (8mg/20cc total)*
						Atrovent (1000mcg total)*
						Diphenhydramine (Benadryl) - (50mg total)*
						Dexamethasone - (20mg total)*
						Epinephrine 1:1000 (3mg total)*
						Epinephrine (multi-dose 1:1000)
						Glucagon with dilutent (3 mg total)*
						Haldol (5mg total)*
						Magnesium Sulfate - 4g*
					1 bot	Nitroglycerin tablets*
					1	Nitro paste with applicator (1 gram total)*
						Ondansetron (Zofran) (8mg total)*
						Terbutaline (1mg total)*
						Rear Pocket:
						IV Pouch
					2	Syringe - 1cc*
					2	Syringes - 3cc*
					2	Syringe - 10cc*
					2	Blunt-tip filter needle - 18 or 19ga*
					2	Needle - 21ga (1 1/2 inches appropriate for IM injection)*
					2	Atomizer *
					2	IV catheters (14, 16, 18, 20, 22, 24)*
					2	IV site preparation kit*
					2	Pre-filled saline syringe - 10cc*
					1	Saline lock extension set*
					2	Saline lock - extention set with 3 -way stop cock*
					2	Sets of blood tubes (varies by hospital)*
					2	Sets of anticoagulant blood tubes (varies by hospital)*
					2	Vacutainer*
					1	Huber-type non-coring needle*
					2	Twin-cath 20 gauge catheter*
					2	Twin-cath 18 gauge catheter*
						Right Side Pocket:
						Controlled Substance Box (sealed)
						Midazolam (20mg total)*
						Fentanyl (400 mcg total)*
				Addit	ions ar	nd corrections should be directed to EMS Supplies.

Page 7 of 7 7.2016 JKB